



INFORMATION GUIDE TO MEASURING YOUR HOME

Staff name: _____


Store tel: _____

1. STRAIGHT ROOM

Rectangular rooms are easy. Simply measure the width and length of the room, always remembering to measure into doorways, alcoves and recesses.

Simply sketch your rectangular room and fill in dimensions here. Note down subfloor type and condition.

Example




2. ODD SHAPED ROOMS

Odd shaped rooms are just as easy to measure as rectangular rooms, but you will need to take more measurements.

Sketch and fill in measurements here.
Note down subfloor type and condition.

Example



ADDITIONAL SKETCH AREA





INFORMATION GUIDE TO MEASURING YOUR HOME

Staff name: _____

Store tel: _____

3. THE HALL



Mark position of stairs with cross as shown.



4. THE LANDING

Remember to measure over the top step and into doorways and recesses. Mark the position of your stairs with a cross as shown in one example.

Sketch and fill in measurements here.



ADDITIONAL SKETCH AREA






INFORMATION GUIDE TO MEASURING YOUR HOME

Staff name: _____

Store tel: _____

5. THE STAIRS

There is no need to measure the length of the stairs, simply fill in the boxes below. This is all you need for a simple staircase. However if your staircase has a half landing, a bullnose or winders simply follow steps 6, 7 and 8 .



- | | | |
|-----------------------------|----------------------|---|
| The number of stairs | <input type="text"/> | An average staircase has 13 stairs |
| Measure the tread and riser | <input type="text"/> | This will probably be slightly under 1'6" (45cm) |
| Measure the stair width | <input type="text"/> | This will probably be between 2'6"-3' (76 - 93cm) |

6. HALF LANDING

A half landing is a large square shaped step usually half way up the stairs at the point that the stairs turn. If your stairs don't have one of these ignore this step.




- | | |
|---|----------------------|
| The width across the half landing | <input type="text"/> |
| The length of the half landing including the drop over the step | <input type="text"/> |

ADDITIONAL SKETCH AREA



7. THE WINDER

Winders are the wedge rectangular shaped steps which, like a half landing, turn the stairs through 90 degrees. Simply take the following measurements for each winder. (Indicated on example) again you may not have winders, if so ignore this step.



Winder 1	
90 degrees over step	Width at widest point
	x

Winder 2	
90 degrees over step	Width at widest point
	x

Winder 3	
90 degrees over step	Width at widest point
	x


Winder 1	
90 degrees over step	Width at widest point
	x

Winder 2	
90 degrees over step	Width at widest point
	x

Winder 3	
90 degrees over step	Width at widest point
	x


8. THE BULLNOSE

A bullnose is the odd shaped step at the bottom of some staircases. It is wider than a normal step and is rounded on either one or both sides. Simply take the following measurements.



The width around the skirt	
----------------------------	----------------------

The step and riser of bullnose	
--------------------------------	----------------------



ADDITIONAL SKETCH AREA

